

Section 6- Schedule of supply

Contents

1. List of Goods and Related Services.....	6-2
2. Delivery and Completion Schedule.....	6-14
3. Technical Specifications.....	6-15
4. Drawings.....	6-30

1. List of Goods and Related Services

Package Name: Supply of Embroidery and Sewing Technology related equipment's for Industrial Training Institutes to enhance technical and vocational skills among the youth of Himachal Pradesh (Package -07)

The Goods and Related Services are grouped in Lots. Bidders shall have the option of submitting Bids for one, any combination, or all of the lots. Lots shall not be further subdivided for the purpose of bidding. The bidder is required to supply the items as mentioned below for the respective Package and Lot(s) for which bidding.

Besides the supply of equipment, the bidder shall also carry-out required related services including unloading, installation & commissioning, after sales warranty & maintenance as well as the relevant handholding to the trainers of the ITI for proper usage and operations. The bidder shall do the necessary site preparation including electrical work, earthing, minor civil work, etc. as required for installation & commissioning of the equipments/goods. While doing the site preparation the bidder shall ensure that aesthetics of the labs/workshops, IT Lab and the Library shall maintain /restored.

Lot No : 1							
Lot Name: Embroidery related machinery							
Item No	Name of Goods or Related Services	Description	Unit of Measurement	Quantity	Specification by the supplier(To be filled by the supplier)	Detailed information brochure attached at Page No.	Pass/Fail (By Purchaser)
1.	Sewing Machine	Stitching machine (motorized) - Operating Voltage: 220-240 V, 50Hz, AC Mains supply - Single Needle Lock Stitch Industrial type - Motorized - For Medium to Heavy application - Rotary Hook Mechanism - Maximum Speed: 4500 Spm and above - Maximum Stich Length: 5 mm and above - Lift of Presser foot: 5.5 mm / 13 mm	No.	104			

		<ul style="list-style-type: none"> - Lubrication: automatic - Standard Safety features - Standard Machine Table 					
2.	3 / 4 Thread Overlock Sewing Machine	3/4 Thread Overlock Sewing Machine <ul style="list-style-type: none"> - For Light to Medium materials - Sewing Speed: Not less than 1,500 Stiches/Minute - Number of Threads: 3/4 - Overlocking Width: - Maximum Stitch Length: 3.6 mm (minimum) - Number of Needle: 1/2 - Height of Presser foot: 5 mm - Differential Ratio: 0.7 to 2 -Adjustable stitch length and cutting width. - Operating Voltage: 220-240V, 50Hz, AC Mains supply. - Standard Machine Table 	No.	3			
3.	Zig zag multipurpose machine	Zig Zag Multi Purpose Machine <ul style="list-style-type: none"> - Maximum sewing speed: 5000 Spm - Max Zig Zag Width: 5mm and above - Number of Sewing patterns: more than 20 - Memory capacity: more than 100 Patterns - Operating Voltage: 220-240V, 50Hz, AC Mains supply. - Standard Machine Table 	No.	3			
4.	Machine attachment for Single Needle Lock stitch Sewing Machine	Machine Attachments <ul style="list-style-type: none"> -Blind Stitcher -ZigZag Attachments -Buttonholer Attachments -Even Feed Walking foot -Monogrammer Attachments -Pinking Attachments -Embroidery Attachments -Hemstitcher & Picoting Attachment -Std Size -Material: Zinc alloy & stainless steel. 	No.	62			

5.	Double Needle Sewing Machine	Double Needle sewing machine - Application: Light and Medium materials - Max Sewing speed: 3000 Stitches/min, - Max stitch length: 4 mm (minimum) - Height of Foot Presser : 7 mm - Lubrication type: Semi dry - Operating Voltage: 220-240V, 50Hz, AC Mains - Standard Machine Table	No.	8			
6.	Button hole machine	Button Hole Machine - Fully automatic - Sewing Speed: Greater than 4000 S.P.M - Cutter length: 6 to 25 mm (minimum) - Maximum Button hole length: 40 mm - Lift of the work clamp : 12mm or above - Full Rotary Hook - Operating Voltage: 220-240V, 50Hz, AC Mains supply - Standard Machine Table	No.	7			
7.	Button sewing machine	Button Sewing Machine - Max sewing speed: Not less than 1800 stitches/min, - Button Dimension outer Dia: 10 to 28mm - Thickness of button: 1.8 to 3.5mm (minimum) - Button size Type : Round-shaped, flat button - Maximum Lift of the Button clamp foot: Max. 13mm - Feed Mechanism: Motor driven - Operating Voltage: 220-240V, 50 Hz, AC mains supply. - Standard Machine Table	No.	10			
8.	Bar tack machine	Bar tack machine - Application: Standard Materials - Max sewing speed: 3200Stitches/min and above - Sewing area: 30mm x 40 mm	No.	4			

		<ul style="list-style-type: none"> - Stitch Length: 0.1 to 10 mm minimum. - Maximum Lift of work clamp foot: 13 mm and above. - Hook: Shuttle Hook - Number of standard patterns: 50 Minimum - Motor Driven - Operating Voltage: 220-240V, 50 Hz, AC mains supply. - Standard Machine Table 					
9.	Feed off the arm double needle	Feed off arm double needle <ul style="list-style-type: none"> - Number of needle: 2, - Needle gauge 1/8" to 1/4" - Stitch length: 3 mm - Max. Stitching Speed: 3,500sti/min and above - Lift of Presser foot: 10 mm and above - Semi Automatic Lubrication - Operating Voltage: 220-240V, 50 Hz, AC mains supply. - Standard Machine Table 	No.	8			
10.	Zig-zag embroidery machine complete set	Zig Zag Embroidery multipurpose Machine <ul style="list-style-type: none"> - Embroidery Field: 4 x 4 inch minimum - Should include Hoop, Embroidery arm and foot - LCD display to view embroidery designs - Inbuilt embroidery design: 50 minimum - Shall be able to import designs - Versatile sewing feet for various stitch functions such as Zigzag, blind stitch etc., - Operating voltage: 220- 240V, 50Hz, AC mains supply - Standard Machine Table 	No.	4			

Note: For detailed specifications please refer table 3: Technical Specifications

Lot No : 2							
Lot Name: Embroidery peripherals							
Item No	Name of Goods or Related Services	Description	Unit of Measurement	Quantity	Specification by the supplier (To be filled by the supplier)	Detailed information brochure attached at Page No.	Pass/Fail (By Purchaser)
1.	Dummies children	Dummies Children - Suitable for the age group 2 to 8 years - Total height with base 4 ft adjustable to 5 ft - Height of torso only- range: from 15.6 in to 22.5 in. - With rolling base. - Usable for both boys and girls dresses - Material: ECO-friendly Foam/ Fiberglass/ Plastic / Polyurethane - Parts: 6 parts: a head, a torso, 2 arms, 2 legs - Stand with support made of Wood/Stainless steel	No.	16			
2.	Dummies ladies	Dummies Ladies -Material - Environmentally-friendly Material: ECO-friendly Foam/ Fiberglass/ Plastic / Polyurethane -With Rolling base. -Colour: Metallic Black -Parts: 6 parts: a head, a torso, 2 arms, 2 legs -Adjustable head - up and down in 60°, and rotatable horizontally in 360°. -Arms rotatable in 360° -Foldable when not Used - Height of torso only- range: from 48in to	No.	24			

		58in.					
3.	Dummies gents	Dummies Gents -Material - Environmentally-friendly Material: ECO-friendly Foam/ Fiberglass/ Plastic / Polyurethane -With Rolling base. -Colour: Metallic Black -Parts: 6 parts: a head, a torso, 2 arms, 2 legs -Adjustable head - up and down in 60°, and rotatable horizontally in 360°. -Arms rotatable in 360° -Foldable when not Used - Height of torso only- range: from 58in to 68in.	No.	16			
4.	Tracing table	Tracing Table -LED powered Artist Stencil Board Tracing Table Light Box Pad having strong back light -Easy on/off switch -Overall size Approximately: 19" L x 14 "W x 1/3"H	No.	5			
5.	Mannequins(gents)	Mannequin - Gents - Material: ECO-friendly Foam/Fiberglass /Plastic /Polyurethane - Height: 175 cm - Head girth: 52 cm - Shoulder width:51cm -circumference:81 cm - Waistline:81 cm - Hipline: 84cm - Foot length: 26 cm -Skin colour: natural skin colour. -Size of the base: at least 30 x 43 cm -Type: Full-Body with Head and Wig	No.	14			

		-Posture: Standing Foldable -Stand support: Wooden/Stainless steel/Iron Chassis					
6.	Mannequins(kids)	Mannequin - Kids - Material: ECO-friendly Foam/Fiberglass /Plastic /Polyurethane -Height 100 cm - Head girth: 40 cm - Shoulder width:26 cm -Waist 51 cm -Hips 55 cm -Chest 52 cm -Base Plate: Metal -Style: Standing with head and Wig -Colour: Skin Colour -Stand support: Wooden/Stainless steel/Iron Chassis	No.	14			
7.	Mannequins(lady)	Mannequins - Ladies -Material: ECO-friendly Foam/Fiberglass/Plastic /Polyurethane -Height: 165 cm - Head girth: 52 cm - Shoulder width: 40 cm - circumference: 81 cm - Waistline: 61 cm - Hipline: 86 cm - Foot length: 23 cm -Skin colour: natural skin colour. -Size of the base: at least 30 x 43 cm -Type: Full-Body with Head and Wig -Posture: Standing Foldable -Stand support: Wooden/Stainless steel/Iron Chassis	No.	14			

8.	Pinking shears	Pinking shears -Size: 9 inch -Material: Stainless steel with Brass/Plastic Handle -Ergonomic handle design "Type of Fastening: Rivet, -Blade Length (mm):80 , -Overall Length (mm):200, -Blade Thickness (mm):5, -Blunt Tip of the Blade to Avoid Injury -Pitch(mm): 5	No.	26			
9.	Tailor l square	Tailor Square -Material: High grade Plastic, -Size: 24 x 12 inch.	No.	38			
10.	Wooden leg shaper	Wooden Leg Shaper -Material: Plastic/wooden, -Size: 30 inch /76 cm.	No.	91			
11.	Garment hanger	Garment Hanger Material-Stainless Steel with wire dia 3mm(min), -Shoulder Size:50cm	No.	173			
12.	Screw driver set	Screw Driver Set -Conformity to ISI Standards : Latest -Type of Screw Drivers: Electricians Screwdrivers -Length of Blade in mm: 110 -Insulation on Blade -Weight of Screwdriver in gms: 46 -Shape of Blade: Round -Length of Handle in mm: 100 -Material of Blade: Alloy Steel, -Material of Handle: Plastic/PVC -Material of Ferrules: Steel conforming to standards of ISI latest.	No.	4			
13.	Cart chop	Cart Chop	No.	10			

		-Standard Size, -Material: Stainless/ Steel					
14.	High quality metal table pencil sharpner	Table Sharpener -8mm dia opening for standard wooden pencil -High carbon ss helical cutting blade . -Pencil Size (mm) : 6.5 < diameter < 8	No.	31			
15.	Pressing table	Pressing Table -Table size 18 x 48 Inch -Thickness of table top: 4 centimetre -Table top Material: wood, - Material : Stainless Steel. -Height adjustable option -Space for Iron rest	No.	30			
16.	Blanket for padding	Blanket for padding of Pressing Table -Pure cotton fabric laminated with thick foam pad for soft & quick ironing. Polyester heat reflective film vacuum metalized with aluminium. Special aluminised heat reflective silver coating reflects heat reducing ironing time by 40%. -Sufficient length & width to cover the Pressing table top size 50 x 20 Inch	No.	36			
17.	Rubber mat	Rubber Mat -Electric Shock Resistant -Anti Skid -Good floor grip -Size: 4 x 3 feet	No.	37			
18.	Hand sprayer	Sprayer -Dimension (length X Width X Height) (mm x mm x mm):250X120X250, -Net weight with empty container (Grams):259 gram. - Container Material: Plastic, -Nozzle material: Stainless steel,	No.	25			

		-Dosage per trigger:0.2 litre.					
19.	Punch machine	Pattern Punch -Light Weight -Rabbit punch body style -Hole diameter 3/4"	No.	34			
20.	Pattern notcher	Pattern Notcher - accurate marking of pattern key points - Tool which creates 1/4" deep square cuts in the edge of patterns - Used to make notches on slopers or patterns -Material: Steel with soft handle grip	No.	39			
21.	Stand for hanging dresses	Stands for Hanging Dresses -Size: Standard - Height can be adjusted with telescopic system - Material: Stainless Steel -High Quality Chrome finish tubes with smooth sliding of the extended arms. -Wheels for easy mobility. - Extended arms to hand clothes	No.	38			
22.	Pick glass	Pick Glass -Foldable -Very Fine Pick Glass with Pointer -Metal Body -Size: 1" x 1" -Magnification: 6x -Carrying Case -Accessories: Standard -Spares: Standard	No.	16			
23.	Brass handle scissors	Scissors -Size:10 inch/25cm -Material: Iron/ Stainless Steel With Brass Handle.	No.	119			

24.	Seam ripper	Seam Ripper - Size: Standard - Material: Hardened steel - Plastic Handle	No.	108			
25.	Tailor's thimble	Thimble -Material-nickel-plated steel, -Size: Standard -Metal thimble, with non slip top. -Die cast zinc with chromalize finish.	No.	106			
26.	Triangular ruler	Tailor's Card Scale Triangular -Material-Plastic/Wood -Size: Std.	No.	142			
27.	French curves	French Curve -Material: Plastic. -Size: Std. size set of 3.	No.	122			
28.	Thread cutter snip	Thread Cutter -Size: Std. -Material : Steel with metallic grip -Light weight & smooth trimming -Handle Colour : Dark Gray -Blade Length : 3.3cm / 1.3"	No.	138			
29.	Wooden circular frame	Wooden circular frame -Materials: wooden, -size: 4,8&12inch - Metal Screw, -Metal Wing Nut	No.	17			
30.	Embroidery hook needle	Hand Aari Needle (Set of Three) Material-Steel -Size- small ,medium and large. -Aari needles for Cutdana/Bugle Beads, -Moti/Spherical beads, & Sequins. -Length: Standard set of Three	No.	17			
31.	Pressing pad	Pressing pad -Material-Cloth -Standard size	No.	1			

32.	Carpet	Carpet -Material-Cloth -Size:12x12 sq feet -Type: Loop pile/ Plush pile.	No.	2			
-----	--------	---	-----	---	--	--	--

Note: For detailed specifications please refer table 3: Technical Specifications

2. Delivery and Completion Schedule

The delivery period shall start as of *date of Signing the Contract*

Lot No.	Description of Goods or Related Services	Delivery Schedule (Duration)	Location	Required Arrival Date of Goods or Completion Date for Related Services
Lot-1	Lot-1 Embroidery related machinery	Within 365 Days from the Signing of the contract.	The location of Delivery of various items of Lot-1 attached separately	Within 365 Days from the Signing of the contract.
Lot-2	Lot-2 Embroidery peripherals	Within 365 Days from the Signing of the contract.	The location of Delivery of various items of Lot-2 attached separately	Within 365 Days from the Signing of the contract.

3. Technical Specifications

- Special Note: 1** As a part of Documentation even if not mentioned all items supplied shall have minimum of 1. User/Operation Manual and 2. Warranty Certificate. Additional requirements for specific items will be explicitly mentioned.
- Special Note: 2** The installation has to be carried out as per the guidelines given by the OEM with necessary ground work and fixtures wherever necessary.
- Special Note: 3** All Light, Medium and Heavy machineries and item needing installation either on Ground or on Wall is the sole responsibility of the supplier.
- Special Note: 4** All costs involved in installation such as materials and Labour is to be borne by the Supplier.
- Special Note: 5** Machines and items shall be installed at the identified position in the designated ITI workshop /Laboratory.
- Special Note: 6** Warranty of One/Two/.. / means that the Supplier of the item takes full responsibility in ensuring the best working condition of the item during the warranty period.
- Special Note: 7** In the event the item is not working the OEM ensure that the item is brought back to best working condition with-in a reasonable period of time not more than 5 days in the worst case.
- Special Note: 8** All parts of the machine not intentionally damaged by the user should be replaced free of cost by the supplier.
- Special Note: 9** All consumable items if any needing replacement will be supplied by the ITI.
- Special Note: 10** All Items of delicate nature shall be supplied in a suitable Cloth/Wooden/ Other suitable storage case/cover for protection of the item from dust and moisture.
- Special Note: 11** Detailed information brochures having specifications, make and model number of individual item to be attached.

Lot-1: Embroidery related machinery

Item No.	Name of Goods or Related Services	Technical Specifications of Item and/or Bureau of Indian Standards (BIS) (if applicable) reference	Features	Accessories	Spare parts	Documents	Installation & Training	Warranty of Equipment/parts
1.	Sewing Machine	Stitching machine (motorized) - Operating Voltage: 220-240 V, 50Hz, AC Mains supply - Single Needle Lock Stitch Industrial type - Motorized - For Medium to Heavy application - Rotary Hook Mechanism	Standard Features of a heavy duty sewing Machine	a) Three bobbins b) Three needles c) All other standard Accessories	Standard spares	- Installation manual - Stich Booklet - Warranty Certificate - Local Service providers	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years

		<ul style="list-style-type: none"> - Maximum Speed: 4500 Spm and above - Maximum Stich Length: 5 mm and above - Lift of Presser foot: 5.5 mm / 13 mm - Lubrication: automatic - Standard Safety features - Standard Machine Table 				contact details		
2.	3 / 4 Thread Overlock Sewing Machine	3/4 Thread Overlock Sewing Machine <ul style="list-style-type: none"> - For Light to Medium materials - Sewing Speed: Not less than 1,500 Stiches/Minute - Number of Threads: 3/4 - Overlocking Width: - Maximum Stich Length: 3.6 mm (minimum) - Number of Needle: 1/2 - Height of Presser foot: 5 mm - Differential Ratio: 0.7 to 2 -Adjustable stitch length and cutting width. - Operating Voltage: 220-240V, 50Hz, AC Mains supply. - Standard Machine Table 	Standard features of Overlock Sewing Machine	One set of all standard accessories.	Standard with table stand	<ul style="list-style-type: none"> - Installation manual - Stitch Booklet - Warranty Certificate - Local Service providers contact details 	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years
3.	ZIG ZAG MULTIPURPOSE MACHINE	Zig Zag Multi Purpose Machine <ul style="list-style-type: none"> - Maximum sewing speed: 5000 Spm - Max Zig Zag Width: 5mm and above - Number of Sewing patterns: more than 20 - Memory capacity: more than 100 Patterns - Operating Voltage: 220-240V, 50Hz, AC Mains supply. - Standard Machine Table 	- Standard features of a ZIGZAG multipurpose Sewing machine	One set of all standard accessories.	Standard with table stand	<ul style="list-style-type: none"> - Installation manual - Stitch Booklet - Warranty Certificate - Local Service providers contact details 	To be supplied at designated ITIs situated in H.P. - Training as required	3 Years
4.	Machine attachment for Single Needle Lock stitch Sewing Machine	Machine Attachments <ul style="list-style-type: none"> -Blind Stitcher -ZigZag Attachments -Buttonholer Attachments -Even Feed Walking foot -Monogrammer Attachments 	1. Braiding Foot; 2 Fringe Foot; 3. 5 Hole Cording Foot; 4. 7 Hole Cording Foot;	Standard	Standard	<ul style="list-style-type: none"> - Installation manual - Warranty Certificate 	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years

		<ul style="list-style-type: none"> -Pinking Attachments -Embroidery Attachments -Hemstitcher & Picoting Attachment -Std Size -Material: Zinc alloy & stainless steel. 	<ul style="list-style-type: none"> 5. Edge Joining Foot; 6. 1/4" Quilting Foot; 7. Straight Stitch Foot 8. Open Toe Embroidery Foot; 9. Round Bead Foot; 10. Zig Zag Foot; 11. Cording Foot; 12. 1/4" Quilting Foot; 13. Pintuck Foot 9 Grooves; 14. Overcast Foot 15. Stitch Guide Foot; 16. Pintuck Foot 5 Grooves; 17. Satin Stitch Foot; 18. Zig Zag Foot, JAGUAR; 19. Double Welting Foot; 20. Invisible Zipper Foot; 21. Roller Foot 22. Blind Stitch Foot; 23. Applique Foot; 24. Open Toe Foot; 					
--	--	--	---	--	--	--	--	--

			25. Darning Foot, Low Shank; 26. Gathering / Welting Foot; 27. Hemmer Foot; 28. Round Hemmer Foot 29. Darnign Foot, Low Shank; 30. Adjustable Bias Binder Foot; 31. Knit Foot; 32. Zipper Foot, Low Shank Package Included: 32pcs sewing machine feet set					
5.	Double Needle Sewing Machine	Double Needle sewing machine - Application: Light and Medium materials - Max Sewing speed: 3000 Stitches/min, - Max stitch length: 4 mm (minimum) - Height of Foot Presser : 7 mm - Lubrication type: Semi dry - Operating Voltage: 220-240V, 50Hz, AC Mains - Standard Machine Table	Standard features of a Double Needle Sewing machines	One set of all standard accessories.	Standard	- Installation manual - Stitch Booklet - Warranty Certificate - Local Service providers contact details	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years
6.	Button hole machine	Button Hole Machine - Fully automatic - Sewing Speed: Greater than 4000 S.P.M - Cutter length: 6 to 25 mm (minimum) - Maximum Button hole length: 40 mm - Lift of the work clamp : 12mm or above - Full Rotary Hook - Operating Voltage: 220-240V, 50Hz, AC Mains supply	- Standard features of Automatic Button hole machine. - Should have good number of standard patterns	One set of all standard accessories.	Standard	- Installation manual - Stitch Booklet - Warranty Certificate - Local Service providers contact details	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years

		- Standard Machine Table	- Should be able to input patterns					
7.	Button sewing machine	Button Sewing Machine - Max sewing speed: Not less than 1800 stitches/min, - Button Dimension outer Dia: 10 to 28mm - Thickness of button: 1.8 to 3.5mm (minimum) - Button size Type : Round-shaped, flat button - Maximum Lift of the Button clamp foot: Max. 13mm - Feed Mechanism: Motor driven - Operating Voltage: 220-240V, 50 Hz, AC mains supply. - Standard Machine Table	- Standard features of a Computer controlled sewing Machine - Shall be able to stitch different shaped buttons. - Should provide large number of stitching patterns. - Should provide facility to input stitching patterns.	One set of all standard accessories.	Standard	- Installation manual - Stitch Booklet - Warranty Certificate - Local Service providers contact details	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years
8.	Bar tack machine	Bar tack machine - Application: Standard Materials - Max sewing speed: 3200Stitches/min and above - Sewing area: 30mm x 40 mm - Stitch Length: 0.1 to 10 mm minimum. - Maximum Lift of work clamp foot: 13 mm and above. - Hook: Shuttle Hook - Number of standard patterns: 50 Minimum - Motor Driven - Operating Voltage: 220-240V, 50 Hz, AC mains supply. - Standard Machine Table	Standard features of a Bar Track Machine.	One set of all standard accessories.	Standard	- Installation manual - Stitch Booklet - Warranty Certificate - Local Service providers contact details	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years

9.	Feed off the arm double needle	Feed off arm double needle - Number of needle: 2, - Needle gauge 1/8" to 1/4" - Stitch length: 3 mm - Max. Stitching Speed: 3,500sti/min and above - Lift of Presser foot: 10 mm and above - Semi Automatic Lubrication - Operating Voltage: 220-240V, 50 Hz, AC mains supply. - Standard Machine Table	-Standard features of a Feed off arm double needle machine.	One set of all standard accessories.	Standard	- Installation manual - Stitch Booklet - Warranty Certificate - Local Service providers contact details	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years
10.	Zig-zag embroidery machine complete set	Zig Zag Embroidery multipurpose Machine - Embroidery Field: 4 x 4 inch minimum - Should include Hoop, Embroidery arm and foot - LCD display to view embroidery designs - Inbuilt embroidery design: 50 minimum - Shall be able to import designs - Versatile sewing feet for various stitch functions such as Zigzag, blind stitch etc., - Operating voltage:220- 240V, 50Hz, AC mains supply - Standard Machine Table	- Standard features of a multipurpose Computerized sewing and embroidery machine	One set of all standard accessories.	Standard	- Installation manual - Stitch Booklet - Warranty Certificate - Local Service providers contact details	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years

Lot-2: Embroidery peripherals

Item No.	Name of Goods or Related Services	Technical Specifications of Item and/or Bureau of Indian Standards (BIS) (if applicable) reference	Features	Accessories	Spare parts	Documents	Installation & Training	Warranty of Equipment/parts
1.	Dummies Children	Dummies Children - Suitable for the age group 2 to 8 years - Total height with base 4 ft adjustable to 5 ft - Height of torso only- range: from 15.6 in to 22.5 in. - With rolling base. - Usable for both boys and girls dresses - Material: ECO-friendly Foam/ Fiberglass/ Plastic / Polyurethane - Parts: 6 parts: a head, a torso, 2 arms, 2 legs - Stand with support made of Wood/Stainless steel	- Standard Features - Fine finish - Abrasion resistance - Sturdy - Light weight - Standing pose - Polished - Superior flesh tone	- Complete set of Accessories - Dust & Water protection cover	Standard	- Installation manual - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
2.	Dummies Ladies	Dummies Ladies -Material - Environmentally-friendly Material: ECO-friendly Foam/ Fiberglass/ Plastic / Polyurethane -With Rolling base. -Colour: Metallic Black -Parts: 6 parts: a head, a torso, 2 arms, 2 legs -Adjustable head - up and down in 60°, and rotatable horizontally in 360°. -Arms rotatable in 360° -Foldable when not Used	Standard Features -Fine finish -Abrasion resistance -Sturdiness -Light weight -Standing pose -Polished -Superior flesh tone	- Complete set of Accessories - Dust & Water protection cover	Standard	- Installation manual - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year

		- Height of torso only- range: from 48in to 58in.						
3.	Dummies Gents	Dummies Gents -Material - Environmentally-friendly Material: ECO-friendly Foam/ Fiberglass/ Plastic / Polyurethane -With Rolling base. -Colour: Metallic Black -Parts: 6 parts: a head, a torso, 2 arms, 2 legs -Adjustable head - up and down in 60°, and rotatable horizontally in 360°. -Arms rotatable in 360° -Foldable when not Used - Height of torso only- range: from 58in to 68in.	Standard -Fine finish -Abrasion resistance -Sturdiness -Light weight -Standing pose -Polished -Superior flesh tone	- Complete set of Accessories - Dust & Water protection cover	Standard	- Installation manual - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
4.	Tracing Table	Tracing Table -LED powered Artist Stencil Board Tracing Table Light Box Pad having strong back light -Easy on/off switch -Overall size Approximately: 19" L x 14 "W x 1/3"H	Standard -Body & legs made of wooden material -Top of the table made of Glass	Standard with LED Lighting	Standard	- Installation manual - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years
5.	Mannequins(Gents)	Mannequin - Gents - Material: ECO-friendly Foam/Fiberglass /Plastic /Polyurethane - Height: 175 cm - Head girth: 52 cm - Shoulder width:51cm -circumference:81 cm - Waistline:81 cm - Hipline: 84cm - Foot length: 26 cm -Skin colour: natural skin colour.	Standard -Fine finish -Abrasion resistance -Sturdiness -Light weight -Standing pose -Polished -Superior flesh tone -Stylish look. -360° rotatable arms.	Standard with Stand - Complete set of Accessories - Dust & Water protectio	Standard	- Installation manual - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years

		<ul style="list-style-type: none"> -Size of the base: at least 30 x 43 cm -Type: Full-Body with Head and Wig -Posture: Standing Foldable -Stand support: Wooden/Stainless steel/Iron Chassis 		n cove				
6.	Mannequins(Kids)	Mannequin - Kids <ul style="list-style-type: none"> - Material: ECO-friendly Foam/Fiberglass /Plastic /Polyurethane -Height 100 cm - Head girth: 40 cm - Shoulder width:26 cm -Waist 51 cm -Hips 55 cm -Chest 52 cm -Base Plate: Metal -Style: Standing with head and Wig -Colour: Skin Colour -Stand support: Wooden/Stainless steel/Iron Chassis 	Standard <ul style="list-style-type: none"> -Fine finish -Abrasion resistance -Sturdiness -Light weight -Standing pose -Polished -Superior flesh tone 	Standard with Stand	Standard	<ul style="list-style-type: none"> - Installation manual - Warranty Certificate 	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years
7.	Mannequins(lady)	Mannequins - Ladies <ul style="list-style-type: none"> -Material: ECO-friendly Foam/Fiberglass/Plastic /Polyurethane -Height: 165 cm - Head girth: 52 cm - Shoulder width: 40 cm - circumference: 81 cm - Waistline: 61 cm - Hipline: 86 cm - Foot length: 23 cm -Skin colour: natural skin colour. -Size of the base: at least 30 x 43 cm 	Standard <ul style="list-style-type: none"> -Fine finish -Abrasion resistance -Sturdiness -Light weight -Standing pose -Polished -Superior flesh tone Stylish look. 360° rotatable arms.	Standard with Stand	Standard	<ul style="list-style-type: none"> - Installation manual - Warranty Certificate 	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years

		-Type: Full-Body with Head and Wig -Posture: Standing Foldable -Stand support: Wooden/Stainless steel/Iron Chassis						
8.	PINKING SHEARS	Pinking shears -Size: 9 inch -Material: Stainless steel with Brass/Plastic Handle -Ergonomic handle design "Type of Fastening: Rivet, -Blade Length (mm):80 , -Overall Length (mm):200, -Blade Thickness (mm):5, -Blunt Tip of the Blade to Avoid Injury -Pitch(mm): 5	Standard	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
9.	TAILOR L SQUARE	Tailor Square -Material: High grade Plastic, -Size: 24 x 12 inch.	Colour: Multi	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
10.	Wooden leg shaper	Wooden Leg Shaper -Material: Plastic/wooden, -Size: 30 inch /76 cm.	Wooden Leg: Curve Ruler	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
11.	GARMENT HANGER	Garment Hanger Material-Stainless Steel with wire dia 3mm(min), -Shoulder Size:50cm	Standard	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year

12.	Screw Driver Set	Screw Driver Set -Conformity to ISI Standards : Latest -Type of Screw Drivers: Electricians Screwdrivers -Length of Blade in mm: 110 -Insulation on Blade -Weight of Screwdriver in gms: 46 -Shape of Blade: Round -Length of Handle in mm: 100 -Material of Blade: Alloy Steel, -Material of Handle: Plastic/PVC -Material of Ferrules: Steel confirming to standards of ISI latest.	Standard	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
13.	Cart chop	Cart Chop -Standard Size, -Material: Stainless/ Steel	Standard	Standard	Standard	- Installation manual - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Years
14.	HIGH QUALITY METAL TABLE PENCIL SHARPNER	Table Sharpener -8mm dia opening for standard wooden pencil -High carbon ss helical cutting blade . -Pencil Size (mm) : 6.5 < diameter < 8	Standard	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
15.	Pressing Table	Pressing Table -Table size 18 x 48 Inch -Thickness of table top: 4 centimetre -Table top Material: wood, - Material : Stainless Steel. -Height adjustable option -Space for Iron rest	Standard	Standard	Standard	- Installation manual - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year

16.	Blanket For Padding	Blanket for padding of Pressing Table -Pure cotton fabric laminated with thick foam pad for soft & quick ironing. Polyester heat reflective film vacuum metalized with aluminium. Special aluminised heat reflective silver coating reflects heat reducing ironing time by 40%. -Sufficient length & width to cover the Pressing table top size 50 x 20 Inch	Standard	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
17.	Rubber Mat	Rubber Mat -Electric Shock Resistant -Anti Skid -Good floor grip -Size: 4 x 3 feet	Standard	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	2 Years
18.	Hand Sprayer	Sprayer -Dimension (length X Width X Height) (mm x mm x mm):250X120X250, -Net weight with empty container (Grams):259 gram. - Container Material: Plastic, -Nozzle material: Stainless steel, -Dosage per trigger:0.2 litre.	Operating system :Thumb pushed -Type :Sprayer -Container capacity -1 litre -Container Type: Detachable	Standard	Standard	- Installation manual - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
19.	Punch Machine	Pattern Punch -Light Weight -Rabbit punch body style -Hole diameter 3/4"	Standard	Standard	Standard	- Installation manual - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
20.	Pattern Notcher	Pattern Notcher - accurate marking of pattern key points - Tool which creates 1/4" deep square cuts in the edge of patterns - Used to make notches on slopers or patterns	Standard	Standard	Standard	- Installation manual - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year

		-Material: Steel with soft handle grip						
21.	Stand for hanging dresses	Stands for Hanging Dresses -Size: Standard - Height can be adjusted with telescopic system - Material: Stainless Steel -High Quality Chrome finish tubes with smooth sliding of the extended arms. -Wheels for easy mobility. - Extended arms to hand clothes	-High capacity -Attractive -Durable -Metal racks	Standard	Standard	- Installation manual - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
22.	Pick Glass	Pick Glass -Foldable -Very Fine Pick Glass with Pointer -Metal Body -Size: 1" x 1" -Magnification: 6x -Carrying Case -Accessories: Standard -Spares: Standard	Standard	Standard	Standard	- Installation manual - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
23.	BRASS HANDLE SCISSORS	Scissors -Size:10 inch/25cm -Material: Iron/ Stainless Steel With Brass Handle.	Blade Length (mm):20millimeter, - Overall Length (mm):200, -Blade Thickness (mm):2.5, -Blunt Tip of the Blade to Avoid Injury, -Type of Fastening: Rivet.	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
24.	Seam Ripper	Seam Ripper - Size: Standard - Material: Hardened steel - Plastic Handle	Standard	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
25.	Tailor's Thimble	Thimble -Material-nickel-plated steel,	Standard	Standard	Standard	- Standard - Warranty	To be supplied at designated	1 Year

		-Size: Standard -Metal thimble, with non slip top. -Die cast zinc with chromalizer finish.				Certificate	ITIs situated in H.P. - Training as required	
26.	Triangular Ruler	Tailor's Card Scale Triangular -Material-Plastic/Wood -Size: Std.	Standard	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
27.	French Curves	French Curve -Material: Plastic. -Size: Std. size set of 3.	Standard	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
28.	Thread cutter Snip	Thread Cutter -Size: Std. -Material : Steel with metallic grip -Light weight & smooth trimming -Handle Colour : Dark Gray -Blade Length : 3.3cm / 1.3"	Standard	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
29.	Wooden circular frame	Wooden circular frame -Materials: wooden, -size: 4,8&12inch - Metal Screw, -Metal Wing Nut	Standard	Standard	Standard	- Installation manual - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
30.	Embroidery hook needle	Hand Aari Needle (Set of Three) Material-Steel -Size- small ,medium and large. -Aari needles for Cutdana/Bugle Beads, -Moti/Spherical beads, & Sequins. -Length: Standard set of Three	Standard	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year
31.	Pressing pad	Pressing pad	Standard	Standard	Standard	- Standard	To be supplied	1 Year

		-Material-Cloth -Standard size				- Warranty Certificate	at designated ITIs situated in H.P. - Training as required	
32.	Carpet	Carpet -Material-Cloth -Size:12x12 sq feet -Type: Loop pile/ Plush pile.	Standard	Standard	Standard	- Standard - Warranty Certificate	To be supplied at designated ITIs situated in H.P. - Training as required	1 Year

4. Drawings

Not Applicable