

# **Schedule of supply**

## **Contents**

1. List of Goods and Related Services
2. Delivery and Completion Schedule
3. Technical Specifications
4. Drawings

# 1.List of Goods and Related Services

Package Name: Supply of "Hostel Furniture for Women Polytechnic Rehan" of Government Polytechnic (Women), Rehan Distt. Kangra to enhance technical and vocational skills among the youth of Himachal Pradesh. HPSDP-DOTE/WP/21; RFQ No. GPR/21/2022

Package Name: Hostel Furniture for Women Polytechnic Rehan								Delivery Time (in days): not more than 180	
Item No	Name of Goods or Related Services	Description	Unit of Measurement	Quantity	Unit Price INR	Total price per item INR	Sales and other taxes per item	Total Price (Including GST)	Remarks (Please mention Page Number of detailed information brochure having make and model no.)
1	2	3	4	5	6	7=5*6	8=7*@GST%	9=7+8	
1.	Hostel Room Bed	Frame made of 2"X 1" MS pipe provided with 4Nos supports of 1"sq MS pipe to frame having 18mm thick pre laminated MDF,OSB, faced with post from high pressure laminate to head side fitted in 2"X 1" MS pipe frame and 18mm Pre laminated board panel to foot side, all the exposed Edge of board provided with 0.8mm thick PvC edge bands glued with hot melt EVA glue having 12mm thick ISI marked commercial ply pn top fitted with self thread screws. the frame of bed finished in walnut wooden shade, size 1829 X 914mm platform height 380mm head side height 730mm, foot side height :380mm	No	150					

2.	Study Table	Size - Length 900mm, width - 600 mm, Height 750mm C - frame and tubular cold rolled close annealed steel structure fabrication involves only MIG/TIG and spot welding top Made of 188mm thick pre laminated particle board PVC edge beading of 2 mm thick by through feed machine dotted embossed steel modesty panel at visitor's side and with single drawer ( W- 350mm , H- 165mm D - 475 mm)with branded telescopic channel provided with drum type leveller all steel components are epoxy powder coated after seven thanks anti corrosion pre treatment of surface. upholstery 0.6 Mtr	No	150						
3.	Study Chair	Overall H : 830mm , seat H : 460mm , D : 580 mm ,W 535 mm : under structure made of 90 mm Dia . MS cold rolled close annealed tube 1.2mm thick duly powder coated anti corrosion treatment of surface seat and back are made of 12mm thick hot pressed plywood with high density PU foam , up holstered with fine quality fabric. Arms tubular steel components are epoxy powder coated followed	No	150						

		seven tanks anti corrosion pre treatment of surface upholstery 0.6 Mtrs							
4.	Table Office Warden	Length: 1200mm, Width: 600mm, Height 750mm C-Frame & Tubular cold rolled close annealed Steel Structure. Fabrication involves only MIG/TIG & Spot welding .Top made of 18mm thick pre-laminated particle board. Edge beading of edges by Through Feed Machine. Dotted embossed steel modesty panel at visitor's side and with three drawer ( W-350mm, H- 430mm D-575mm ) with branded roller. Provided with Drum Type Leveller.. All steel components are epoxy powder coated after seven tanks anti corrosion treatment of surface	No	1					
5.	Visitor Chair	Total Height-850mm, Depth 570mm, Width-550mm Seat Height:440mm. Under Structure cantilever type MS cold rolled close annealed Tube 1.6 mm thick. Hot pressed ply wood with steel T-Nuts for rigid fastening. Single piece integral skin PU arm rest. Quality tapestry. High density PU moulded cushion. All steel components are epoxy powder coated followed	No	50					

		by seven tanks anti corrosion treatment of surface. Upholstery 1.5 Mtr							
6	Water Purifier with storage Cooler	80 L RO Water Purifier (Black), 15 L/hr Pre-filter, Pre Carbon Filter, ZX Double Protection Dual Filter (Silver Activated Post Carbon Block and SCMT), Patented Side Stream RO Membrane	No	5					
7	Dining table with Chair	Size:- L-2130mmx D-915mmxHt-750mm: Under structure made of prime quality cold rolled close annealed square tube 30mm x 30mm x 1.2mm thick with 8 nos. folding/tilting stools 4 on each side. Stools fitted on specially designed C-clamps over leg rest on each side with Bush for smooth functioning. Top-1.0mm thick, stainless-steel properly bent & edge- formed, supported with 12mm Ply/PLPB below top. Stool Top made up of 1.0 mm thk. stainless steel dia 300mm, supported on 12mm Ply/PLPB fitted with CSK screw on 25mmx3 mm thickk. MS flat welded on stool frame. All steel components are epoxy powder coated followed by seven tanks anti	No	10					

		corrosion treatment of surface							
8	Curtains	Length 2m ,Fabric - Polyester	No	300					
9	Zebra Blinds	Zebra Blinds	Sq. foot	2000					
10	Double Bed	Size 72x75 made of 19mm 1SI marked block board faced with 0.8mm thick laminate of approved shade with teakwood beading on the edges, having designer head side and foot side faced with 12 mm thick ply and decorative laminate with double silver lines. The complete bed duly polished in walnut melamine finish	No	2					
11	Almirah	Size:-height: 1980mm width: 910mm depth: 485mm Body part made-up of prime quality cold rolled close annealed Sheet Use only MIG/TIG & Spot welding for fabrication.4 adjustable shelf. Three way locking device with six levers superior quality lock for Door. Doors are mounted on steel hinge brackets. Body 22 Gauge, Door 20 Gauge. All steel components are epoxy powder coated followed by seven tanks anti corrosion treatment of surface	No	2					
12	Table (Guest Room)	Size:- Length: 900mm, Width: 600mm, Height	No	1					

		750mm C- Frame & Tubular cold rolled close annealed Steel Structure. Fabrication involves only MIG/TIG & Spot welding. Top made of 18mm thick pre-laminated particle board. PVC Edge beading of 2mm thick by Through Feed Machine. Dotted embossed steel modesty panel at visitor's side and with single drawer ( W-350mm, H-165mm D-475mm ) with branded telescopic channel. Provided with Drum Type Leveller. All steel components are epoxy powder coated after seven tanks anti corrosion treatment of surface.							
13	Sofa 3 Seater	Size-H-870 mm, L-1940 mm, D-840 mm. Structure made of treated agro wood, fitted with 50mm wide rubberized belts 50mm wide with high density PU foam as per design, Upholstered with premium quality PU cloth with help of stitching, where ever necessary. Tapestry- 06 Mtr.	No	2					
14	Sofa 2 Seater	Size-H-870 mm, L-1450 mm, D-840 mm. Structure made of treated agro wood, fitted with 50mm wide rubberized belts 50mm wide with high density PU foam as per	No	2					

		design, Upholstered with premium quality PU cloth with help of stitching, where ever necessary. Tapestry - 05 Mtr							
15	Centre Table	Size: Length: 900mm, Width: 600mm, Height: 450mm. Under Structure made of MS cold rolled close annealed tube 1.2 mm thick, duly powder coated after anti corrosion treatment of surface. Top Made up from 18mm Pre-laminated Particle board	No	3					
16	Side Table(Visitor Lounge)	: Size: Length: 600mm, Width: 600mm, Height: 450mm. Under Structure made of MS cold rolled close annealed tube 1.2 mm thick, duly powder coated after anti corrosion treatment of surface. Top Made up from 18mm Pre-laminated Particle board	No	2					
17	Easy Chair	D- 61 cm W- 69 Cm , H- 114 cm material leatherette	No	1					
18	Steel Rack	5 shelves rack cubby types 30.5 D X 88.9WX182.8H	No	2					
19	Pin up Notice board	soft board core fame material durable aluminium board size- 24" X 36" shape rectangular	No	4					
20	Sanitary Napkin Vending Machine	Manually operated with capacity of 100 napkins per day, any coin acceptance capability	No	4					
21	Incinerator	Average capacity of 200-300 napkins per	No	4					



		day with 25-30 Per Load							
22	LED TV	163 cm (65 inch) Ultra HD (4K) LED Smart TV with Voice Search (UA65AUE70A KLXL)	No	2					
23	DTH	With 03 year subscription	No	2					
24	AC (Dual -Hot & cold)	Split AC hot and cold dual Inverter with 1.5 ton capacity	No	5					
25	Heat Pillar	Heat Pillar 1500W	No	10					
26	Fly Catcher	Area coverage>3000sqft, dual 40W each UV tube.	No	5					
27	Fridge	Frost Free Multi door Refrigeration ; 500 L or above capacity, Energy efficient, form factor side by side, Humidity care control, AG Technology to deactivate bacteria.	No	3					
28	Washing Machine	Fully Automatic, front load, energy efficient and water efficient, capacity : 9 kg, spin speed : 1400 RPM, with direct drive technology, waterproof touch panel, free standing installation, material: steel.	No	2					
29	Audio System	80 Watt Multimedia speaker, 2.1 channel speaker, remote	No	2					

		operated,bluetooth,US B, SD Card enabled,rich base							
30	<b>Treadmil</b>	5 HP Peak DC motorized foldable , auto incline, max speed 16 Km/Hr weight 120 Kg Spring SuspensionTechnology ,heart rate sensor 16 Level of auto inclination provided with steel frame body	<b>No</b>	2					
31	<b>Statioanry Bicycle</b>	12 kg flywheel weight,adjustable seat with horizontal and vertical side,max user weight 120 kg , magnetic resistace system, vericaly adjustable handles, monitor-speed,distance,time,cal ories,pulse,odometer, size- (L* B * H * ) =42*21*46* in Inches	<b>No</b>	3					
32	<b>Hack Machine</b> <b>squat</b>	steel material,adjustable seat,size (L*b*h)= 2300mm*1500mm*1500mm	<b>No</b>	1					
33	<b>Rowing Machine</b>	Magnetic resistance mechanism , size- (L*B*H) = 173*33*56 Centimeters maximum load = 120 kg	<b>No</b>	2					
34	<b>Horizontal Seated Leg Press</b>	position,adjustable leg press carriage ,	<b>No</b>	2					

		magnetic pin to select the load size(L*B*H) = 120*200*205 in cm, standard load 150 kg .							
35	Twister (triple )	size(L*B*H) (140*140*135 ) in cm	No	1					
36	Sky walker	Size H-5'2",L- 5'3", W-2'1", main pipe 114 mm,galvanised pipe power coated	No	1					
37	Air Walker	size H-4'2",L- 3'7", W-2'3", main pipe 114 mm,galvanised pipe power coated	No	1					
38	Shoulder Press	size H-6'8",L- 3'2", W-2'3", main pipe 114 mm,galvanised pipe power coated , proper seats fully finished	No	1					
Total :									

**Grand Total**

**Total price per item  
(INR)(7= 5\*6)**

**Total Price (Including GST)  
(9=7+8)**

**Grand Total (Without Tax) in Words: -**

## 2. Delivery and Completion Schedule

The delivery period shall start as of date of Signing the Contract

Item No	Description of Goods or Related Services	Delivery Schedule (Duration)	Location	Required Arrival Date of Goods or Completion Date for Related Services
	<b>Package Name: - Hostel Furniture for Women Polytechnic Rehan</b> <b>Package No.: - HPSDP-DOTE/WP/21</b>	Within 90 Days from the Signing of the contract.	<b>Government Polytechnic(Women), Rehan District-Kangra, Himachal Pradesh</b>	Within 90 Days from the Signing of the contract.

### 3. Technical Specifications

**Package Name: - Hostel Furniture for Women Polytechnic Rehan**

**Installation & Training of all items at: Government Polytechnic (women), Rehan Distt. Kangra HP in Himachal Pradesh**

Item No.	Name of Goods or Related Services	Technical Specifications of Item and/or Bureau of Indian Standards (BIS) (if applicable) reference	Features	Accessories	Spare parts	Documents	Warranty of Equipment/parts
1.	Hostel Room Bed	Frame made of 2"X 1" MS pipe provided with 4Nos supports of 1"sq MS pipe to frame having 18mm thick pre laminated MDF,OSB ,faced with post from high pressure laminate to head side fitted in 2"X 1" MS pipe frame and 18mm Pre laminated board panel to foot side, all the exposed Edge of board provided with 0.8mm thick PvC edge bands glued with hot melt EVA glue having 12mm thick ISI marked commercial ply on top fitted with self thread screws. the frame of bed finished in walnut wooden shade, size 1829 X 914mm platform height 380mm head side height 730mm, foot side height :380mm	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
2.	Study Table	Size - Length 900mm, width - 600 mm, Height 750mm C - frame and tubular cold rolled close annealed steel structure fabrication involves only MIG/TIG and spot welding top Made of 18mm thick pre laminated particle board PVC edge beading of 2 mm thick by through feed machine dotted embossed steel modesty panel at visitor's side and with single drawer ( W-350mm , H- 165mm D - 475 mm)with branded telescopic channel provided with drum type leveller all steel components are epoxy powder coated after seven tanks anti corrosion pre treatment of surface. Upholstery 0.6 Mtr	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
3.	Study Chair	Overall H : 830mm , seat H : 460mm , D : 580 mm ,W 535 mm : under structure made of 90 mm dia MS cold rolled close annealed tube 1.2mm thick duly powder coated anti corrosion treatment of surface seat and back are made of 12mm thick hot pressed plywood with high density PU foam , up holstered with fine quality fabric. Arms tubular steel components are epoxy powder coated followed seven tanks anti corrosion pre treatment of surface upholstery 0.6 Mtrs	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan

4.	Table Warden Office	Length: 1200mm, Width: 600mm, Height 750mm C-Frame & Tubular cold rolled close annealed Steel Structure. Fabrication involves only MIG/TIG & Spot welding .Top made of 18mm thick pre-laminated particle board. Edge beading of edges by Through Feed Machine. Dotted embossed steel modesty panel at visitor's side and with three drawer ( W-350mm, H- 430mm D-575mm ) with branded roller. Provided with Drum Type Leveller.. All steel components are epoxy powder coated after seven tanks anti corrosion treatment of surface	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
5.	Visitor Chair	Total Height-850mm, Depth 570mm, Width-550mm Seat Height:440mm. Under Structure cantilever type MS cold rolled close annealed Tube 1.6 mm thick. Hot pressed ply wood with steel T-Nuts for rigid fastening. Single piece integral skin PU arm rest. Quality tapestry. High density PU moulded cushion. All steel components are epoxy powder coated followed by seven tanks anti corrosion treatment of surface. Upholstery 1.5 Mtr	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
6.	Water Purifier with storage Cooler	80 L RO Water Purifier (Black),15 L/hr Pre-filter, Pre Carbon Filter, ZX Double Protection Dual Filter (Silver Activated Post Carbon Block and SCMT), Patented Side Stream RO Membrane	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
7.	Dining table with Chair	Size:- L-2130mmx D-915mmxHt-750mm: Under structure made of prime quality cold rolled close annealed square tube 30mm x 30mm x 1.2mm thick. with 8 nos. folding/tilting stools 4 on each side. Stools fitted on specially designed C-clamps over leg rest on each side with Bush for smooth functioning. Top- 1.0mm thick. stainless-steel properly bent & edge- formed, supported with 12mm Ply/PLPB below top. Stool Top made up of 1.0 mm thick. stainless steel dia 300mm, supported on 12mm Ply/PLPB fitted with CSK screw on 25mmx3 mm thick. MS flat welded on stool frame. All steel components are epoxy powder coated followed by seven tanks anti corrosion treatment of surface	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
8.	Curtains	Length 2m ,Fabric - Polyester	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan

9.	Zebra Blinds	Zebra Blinds	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
10.	Double Bed	Size 72x75 made of 19mm 1SI marked block board faced with 0.8mm thick laminate of approved shade with teakwood beading on the edges, having designer head side and foot side faced with 12 mm thick ply and decorative laminate with double silver lines. The complete bed duly polished in walnut melamine finish	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
11.	Almirah	Size:-height: 1980mm width: 910mm depth: 485mm Body part made-up of prime quality cold rolled close annealed Sheet Use only MIG/TIG & Spot welding for fabrication.4 adjustable shelf. Three way locking device with six levers superior quality lock for Door. Doors are mounted on steel hinge brackets. Body 22 Gauge, Door 20 Gauge. All steel components are epoxy powder coated followed by seven tanks anti corrosion treatment of surface	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
12.	Table (Guest Room)	Size:- Length: 900mm, Width: 600mm, Height 750mm C-Frame & Tubular cold rolled close annealed Steel Structure. Fabrication involves only MIG/TIG & Spot welding .Top made of 18mm thick pre-laminated particle board. PVC Edge beading of 2mm thick by Through Feed Machine. Dotted embossed steel modesty panel at visitor's side and with single drawer ( W-350mm, H-165mm D-475mm ) with branded telescopic channel. Provided with Drum Type Leveller. All steel components are epoxy powder coated after seven tanks anti corrosion treatment of surface.	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
13.	Sofa 3 Seater	Size-H-870 mm, L-1940 mm, D-840 mm. Structure made of treated agro wood, fitted with 50mm wide rubberized belts 50mm wide with high density PU foam as per design, Upholstered with premium quality PU cloth with help of stitching, where ever necessary. Tapestry- 06 Mtr.	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
14.	Sofa 2 Seater	Size-H-870 mm, L-1450 mm, D-840 mm. Structure made of treated agro wood, fitted with 50mm wide rubberized belts 50mm wide with high density PU foam as per design, Upholstered with premium quality PU cloth with help of stitching, where ever necessary. Tapestry - 05 Mtr	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic

							Rehan
15.	Centre Table	Size: Length: 900mm, Width: 600mm, Height: 450mm. Under Structure made of MS cold rolled close annealed tube 1.2 mm thick, duly powder coated after anti corrosion treatment of surface. Top Made up from 18mm Pre-laminated Particle board	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
16.	Side Table(Visitor Lounge)	: Size: Length: 600mm, Width: 600mm, Height: 450mm. Under Structure made of MS cold rolled close annealed tube 1.2 mm thick, duly powder coated after anti corrosion treatment of surface. Top Made up from 18mm Pre-laminated Particle board	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
17.	Easy Chair	D- 61 cm W- 69 Cm , H- 114 cm material leatherette	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
18.	Steel Rack	5 shelves rack cubby types 30.5 D X 88.9WX182.8H	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
19.	Pin up Notice board	soft board core fame material durable aluminium board size- 24" X 36" shape rectangular	Standard	Standard	Standard	—	03 Years & to be installed in the Women Polytechnic Rehan
20.	Sanitary Napkin Vending Machine	Manually operated with capacity of 100 napkins per day, any coin acceptance capability	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
21.	Incinerator	Average capacity of 200-300 napkins per day with 25-30 Per Load	Standard	Standard	Standard	Standard	03 Years & to be installed in



							the Women Polytechnic Rehan
22.	LED TV	163 cm (65 inch) Ultra HD (4K) LED Smart TV with Voice Search (UA65AUE70AKLXL)	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
23.	DTH	With 03 year subscription	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
24.	AC (Dual -Hot & cold)	Split AC hot and cold dual Inverter with 1.5 ton capacity	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
25.	Heat Pillar	Heat Pillar 1500W	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
26.	Fly Catcher	Area coverage>3000sqft,dual 40W each UV tube.	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
27.	Fridge	Frost Free Multi door Refrigeration ; 500 L or above capacity, Energy efficient, form factor side by side, Humidity care control, AG Technology to deactivate bacteria.	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
28.	Washing Machine	Fully Automatic, front load,energy efficient and water efficient, capacity : 9 kg,spin speed : 1400 RPM,with direct drive technology, waterproof touch panel,free standing installation, material: steel.	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan

29.	Audio System	80 Watt Multimedia speaker,2.1 channel speaker,remote operated,bluetooth,USB, SD Card enabled,rich base	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
30.	Treadmill	5 HP Peak DC motorized foldable , auto incline, max speed 16 Km/Hr weight 120 Kg Spring Suspension Technology ,heart rate sensor 16 Level of auto inclination provided with steel frame body	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
31.	Stationary Bicycle	12 kg flywheel weight, adjustable seat with horizontal and vertical side,max user weight 120 kg , magnetic resistance system, vertically adjustable handles, monitor-speed,distance,time,calories,pulse,odometer, size- (L* B * H * ) =42*21*46* in Inches	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
32.	Hack squat Machine	steel material,adjustable seat,size (L*b*h)= 2300mm*1500mm*1500mm	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
33.	Rowing Machine	Magnetic resistance mechanism , size-(L*B*H) = 173*33*56 Centimetres maximum load = 120 kg	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
34.	Horizontal Seated Leg Press	position, adjustable leg press carriage , magnetic pin to select the load size(L*B*H) = 120*200*205 in cm, standard load 150 kg .	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
35.	Twister (triple )	size(L*B*H) (140*140-*135 ) in cm	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan

36.	<b>Sky walker</b>	Size H-5'2", L- 5'3", W- 2'1", main pipe 114 mm, galvanised pipe power coated	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
37.	<b>Air Walker</b>	size H-4'2", L- 3'7", W- 2'3", main pipe 114 mm, galvanised pipe power coated	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan
38.	<b>Shoulder Press</b>	size H-6'8", L- 3'2", W- 2'3", main pipe 114 mm, galvanised pipe power coated , proper seats fully finished	Standard	Standard	Standard	Standard	03 Years & to be installed in the Women Polytechnic Rehan

## 4. Drawings

*Not Applicable*