Schedule of supply

Contents

- 1. List of Goods and Related Services
- 2. Delivery and Completion Schedule
- 3. Technical Specifications
- 4. Drawings

1.List of Goods and Related Services

Package Name: Supply of "Hostel Furniture for Women Polytechnic Rehan" of Government Polytechnic (Women), Rehan Distt. Kangra to enhance technical and vocational skills among the youth of Himachal Pradesh. HPSDP-DOTE/WP/21; RFQ No. GPR/21/2022-01

Pac									ne (in days): not 0
lte m No	Name of Goods or Related Services	Description	Unit of Measurement	Quantity	Unit Price INR	Total price per item INR	Sales and other taxes per item	Total Price (Including GST)	Remarks(Please mention Page Number of detailed information brochure having make and model no.)
1	2	3	4	5	6	7=5*6	8=7*@GST%	9=7+8	
1.	Hostel Room Bed	Frame made of 2"X 1" MS pipe provided with 4Nos supports of 1"sq MS pipe to frame having 18mm thick pre laminated MDF,OSB ,faced with post from high pressure laminate to head side fitted in 2"X 1" MS pipe frame and 18mm Pre laminated board panel to foot side, all the exposed Edge of board provided with 0.8mm thick PvC edge bands glued with hot melt EVA glue having12mm thick ISI marked commercial ply on top fitted with self thread screws. the frame of bed finished in walnut wooden shade, size 1829 X 914mm platform height 380mm head side height 730mm, foot side height :380mm		150					
2.	Study Table	Size - Length 900mm, width - 600 mm, Height 750mm C - frame and tubular cold rolled close annealed steel structure fabrication involves only MIG/TIG and spot	No	150					

· · · · · ·							
		welding top Made of 188mm					
		thick pre laminated particle					
		board PVC edge beading of					
		2 mm thick by through feed					
		machine dotted embossed					
		steel modesty panel at					
		visitor's side and with single					
		drawer (W-350mm , H-					
		165mm D - 475 mm)with					
		branded telescopic channel					
		provided with drum type					
		leveller all steel components					
		are epoxy powder coated					
		after seven thanks anti					
		corrosion pre treatment of					
		surface. Upholstery 0.6 Mtr					
3.		Overall H: 830mm, seat H:	No				
		460mm , D : 580 mm ,W 535					
		mm : under structure made					
		of 90 mm dia MS cold rolled					
		close annealed tube 1.2mm					
		thick duly powder coated anti					
		corrosion treatment of					
		surface seat and back are					
		made of 12mm thick hot					
	Study Chair	pressed plywood with high		150			
		density PU foam , up					
		holstered with fine quality					
		fabric. Arms tubular steel					
		components are epoxy					
		powder coated followed					
		seven tanks anti corrosion					
		pre treatment of surface					
		upholstery 0.6 Mtrs					
4.		Length: 1200mm, Width:	No				
		600mm, Height 750mm C-					
		Frame & Tubular cold rolled					
		close annealed Steel					
	-	Structure. Fabrication					
	Table Warden	involves only MIG/TIG &		1			
	Office	Spot welding .Top made of		'			
		18mm thick pre-laminated					
		particle board. Edge beading					
		of edges by Through Feed					
		Machine. Dotted embossed					
		steel modesty panel at					
		· · · · · · · · · · · · · · · · · · ·		1		1	

		visitor's side and with three drawer (W-350mm, H- 430mm D-575mm) with branded roller. Provided with Drum Type Leveller All steel components are epoxy powder coated after seven					
		tanks anti corrosion					
5.	Visitor Chair	treatment of surface Total Height-850mm, Depth 570mm, Width-550mm Seat Height:440mm. Under Structure cantilever type MS cold rolled close annealed Tube 1.6 mm thick. Hot pressed ply wood with steel T-Nuts for rigid fastening. Single piece integral skin PU arm rest. Quality tapestry. High density PU moulded cushion. All steel components are epoxy powder coated followed by seven tanks anti corrosion treatment of surface. Upholstery 1.5 Mtr	No	50			
6.	Dining table with Chair	Size:- L-2130mmx D- 915mmxHt-750mm: Under structure made of prime quality cold rolled close annealed square tube 30mm x 30mm x 1.2mm thick. with 8 nos. folding/tilting stools 4 on each side. Stools fitted on specially designed C- clamps over leg rest on each side with Bush for smooth functioning. Top- 1.0mm thick. stainless-steel properly bent & edge- formed, supported with 12mm Ply/PLPB below top. Stool Top made up of 1.0 mm thick. stainless steel dia 300mm, supported on 12mm Ply/PLPB fitted with	No	10			

			1			[·
		CSK screw on 25mmx3 mm thick. MS flat welded on						
		stool frame. All steel						
		components are epoxy						
		powder coated followed by						
		seven tanks anti corrosion						
		treatment of surface						
7.		Size 72x75 made of 19mm	No					
		1SI marked block board	NO					
		faced with 0.8mm thick						
		laminate of approved shade						
		with teakwood beading on						
		the edges, having designer		•				
	Double Bed	head side and foot side		2				
		faced with 12 mm thick ply						
		and decorative laminate with						
		double silver lines. The						
		complete bed duly polished						
		in walnut melamine finish						
8.		Size:-height: 1980mm	No					
		width: 910mm depth:						
		485mm Body part made-up						
		of prime quality cold rolled						
		close annealed Sheet Use						
		only MIG/TIG & Spot						
		welding for fabrication.4						
		adjustable shelf. Three way						
		locking device with six						
	Almirah	levers superior quality lock		2				
		for Door. Doors are mounted						
		on steel hinge brackets.						
		Body 22 Gauge, Door 20						
		Gauge. All steel						
		components are epoxy						
		powder coated followed by seven tanks anti						
		corrosion treatment of						
		surface						
9.		Size:- Length: 900mm,	No					
э.		Width: 600mm, Height	No					
		750mm C- Frame & Tubular						
	- · · · / - · ·	cold rolled close annealed						
	Table (Guest Room)	Steel Structure. Fabrication		1				
		involves only MIG/TIG &						
		Spot welding .Top made of						
		18mm thick pre-laminated						
L			1		1	1	1	

		particle board. PVC Edge beading of 2mm thick by Through Feed Machine. Dotted embossed steel modesty panel at visitor's side and with single drawer (W-350mm, H-165mm D- 475mm) with branded telescopic channel. Provided with Drum Type Leveller. All steel components are epoxy powder coated after seven tanks anti corrosion treatment of surface.					
10.	Sofa 3 Seater	Size-H-870 mm, L-1940 mm, D-840 mm. Structure made of treated agro wood, fitted with 50mm wide rubberized belts 50mm wide with high density PU foam as per design, Upholstered with premium quality PU cloth with help of stitching, where ever necessary. Tapestry- 06 Mtr.	No	2			
11.	Sofa 2 Seater	Size-H-870 mm, L-1450 mm, D-840 mm. Structure made of treated agro wood, fitted with 50mm wide rubberized belts 50mm wide with high density PU foam as per design, Upholstered with premium quality PU cloth with help of stitching, where ever necessary. Tapestry - 05 Mtr	Νο	2			
12.	Centre Table	Size: Length: 900mm, Width: 600mm, Height: 450mm. Under Structure made of MS cold rolled close annealed tube 1.2 mm thick, duly powder coated after anti corrosion treatment of surface. Top Made up from 18mm Pre-laminated Particle board	Νο	1			

13.	Side Table(Visitor Lounge)	: Size: Length: 600mm, Width: 600mm, Height: 450mm. Under Structure made of MS cold rolled close annealed tube 1.2 mm thick, duly powder coated after anti corrosion treatment of surface. Top Made up from 18mm Pre-laminated Particle board		2			
14.	Easy Chair	D- 61 cm W- 69 Cm , H- 114 cm material leatherette	No	1			
15.	Steel Rack	5 shelves rack cubby types 30.5 D X 88.9WX182.8H		2			
16.	Pin up Notice board	soft board core fame material durable aluminium board size- 24" X 36" shape rectangular	Νο	4			
Total	:						

Grand Total	Total price per item (INR)(7= 5*6)	Total Price (Including GST) (9=7+8)
Grand Total (Without Tax) in Words: -		

2. Delivery and Completion Schedule

The delivery period shall start as of *date of Signing the Contract*

Item No	Description of Goods or Related Services	Delivery Schedule (Duration)	Location	Required Arrival Date of Goods or Completion Date for Related Services
Package Name: - Ho Rehan Package No.: - <i>HPSI</i>	stel Furniture for Women Polytechnic	Within 90 Days from the Signing of the contract.	Government Polytechnic(Women), Rehan District-Kangra, Himachal Pradesh	Within 90 Days from the Signing of the contract.

3. Technical Specifications

Package Name: - Hostel Furniture for Women Polytechnic Rehan Installation & Training of all items at: Government Polytechnic (women), Rehan Distt. Kangra HP in Himachal Pradesh

ltem No.	Name of Goods or Related Services	Technical Specifications of Item and/or Bureau of Indian Standards (BIS) (if applicable) reference	Features	Accessorie s	Spare parts	Documents	Warranty of Equipment/par ts
1.	Hostel Room Bed	Frame made of 2"X 1" MS pipe provided with 4Nos supports of 1"sq MS pipe to frame having 18mm thick pre laminated MDF,OSB ,faced with post from high pressure laminate to head side fitted in 2"X 1" MS pipe frame and 18mm Pre laminated board panel to foot side, all the exposed Edge of board provided with 0.8mm thick PvC edge bands glued with hot melt EVA glue having12mm thick ISI marked commercial ply on top fitted with self thread screws. the frame of bed finished in walnut wooden shade, size 1829 X 914mm platform height 380mm head side height 730mm, foot side height :380mm	Standard	Standard	Standard		03 Years & to be installed in the Women Polytechnic Rehan
2.	Study Table	Size - Length 900mm, width - 600 mm, Height 750mm C - frame and tubular cold rolled close annealed steel structure fabrication involves only MIG/TIG and spot welding top Made of 188mm thick pre laminated particle board PVC edge beading of 2 mm thick by through feed machine dotted embossed steel modesty panel at visitor's side and with single drawer (W-350mm, H- 165mm D - 475 mm)with branded telescopic channel provided with drum type leveller all steel components are epoxy powder coated after seven thanks anti corrosion pre treatment of surface. Upholstery 0.6 Mtr	Standard	Standard	Standard		03 Years & to be installed in the Women Polytechnic Rehan
3.	Study Chair	Overall H : 830mm , seat H : 460mm , D : 580 mm ,W 535 mm : under structure made of 90 mm dia MS cold rolled close annealed tube 1.2mm thick duly powder coated antii corrosion treatment of surface seat and back are made of 12mm thick hot pressed plywood with high density PU foam , up holstered with fine quality fabric. Arms tubular steel components are epoxy powder coated followed seven tanks anti corrosion pre treatment of surface upholstery 0.6 Mtrs	Standard	Standard	Standard		03 Years & to be installed in the Women Polytechnic Rehan

4.	Table Warden Office	Length: 1200mm, Width: 600mm, Height 750mm C- Frame & Tubular cold rolled close annealed Steel Structure. Fabrication involves only MIG/TIG & Spot welding .Top made of 18mm thick pre-laminated particle board. Edge beading of edges by Through Feed Machine. Dotted embossed steel modesty panel at visitor's side and with three drawer (W-350mm, H- 430mm D-575mm) with branded roller. Provided with Drum Type Leveller All steel components are epoxy powder coated after seven tanks anti corrosion treatment of surface	Standard	Standard	Standard	 03 Years & to be installed in the Women Polytechnic Rehan
5.	Visitor Chair	Total Height-850mm, Depth 570mm, Width-550mm Seat Height:440mm. Under Structure cantilever type MS cold rolled close annealed Tube 1.6 mm thick. Hot pressed ply wood with steel T-Nuts for rigid fastening. Single piece integral skin PU arm rest. Quality tapestry. High density PU moulded cushion. All steel components are epoxy powder coated followed by seven tanks anti corrosion treatment of surface. Upholstery 1.5 Mtr	Standard	Standard	Standard	 03 Years & to be installed in the Women Polytechnic Rehan
6.	Dining table with Chair	Size:- L-2130mmx D-915mmxHt-750mm: Under structure made of prime quality cold rolled close annealed square tube 30mm x 30mm x 1.2mm thick. with 8 nos. folding/tilting stools 4 on each side. Stools fitted on specially designed C-clamps over leg rest on each side with Bush for smooth functioning. Top- 1.0mm thick. stainless-steel properly bent & edge- formed, supported with 12mm Ply/PLPB below top. Stool Top made up of 1.0 mm thick. stainless steel dia 300mm, supported on 12mm Ply/PLPB fitted with CSK screw on 25mmx3 mm thick. MS flat welded on stool frame. All steel components are epoxy powder coated followed by seven tanks anti corrosion treatment of surface	Standard	Standard	Standard	 03 Years & to be installed in the Women Polytechnic Rehan
7.	Double Bed	Size 72x75 made of 19mm 1SI marked block board faced with 0.8mm thick laminate of approved shade with teakwood beading on the edges, having designer head side and foot side faced with 12 mm thick ply and decorative laminate with double silver lines. The complete bed duly polished in walnut melamine finish	Standard	Standard	Standard	 03 Years & to be installed in the Women Polytechnic Rehan
8.	Almirah	Size:-height: 1980mm width: 910mm depth: 485mm Body part made-up of prime quality cold rolled close annealed Sheet Use only MIG/TIG & Spot welding for fabrication.4 adjustable shelf. Three way locking device with six levers superior quality lock for Door. Doors are mounted	Standard	Standard	Standard	 03 Years & to be installed in the Women Polytechnic

		on steel hinge brackets. Body 22 Gauge, Door 20 Gauge. All steel components are epoxy powder coated followed by seven tanks anti corrosion treatment of surface				Rehan
9.	Table (Guest Room)	Size:- Length: 900mm, Width: 600mm, Height 750mm C- Frame & Tubular cold rolled close annealed Steel Structure. Fabrication involves only MIG/TIG & Spot welding .Top made of 18mm thick pre-laminated particle board. PVC Edge beading of 2mm thick by Through Feed Machine. Dotted embossed steel modesty panel at visitor's side and with single drawer (W-350mm, H-165mm D- 475mm) with branded telescopic channel. Provided with Drum Type Leveller. All steel components are epoxy powder coated after seven tanks anti corrosion treatment of surface.	Standard	Standard	Standard	 03 Years & to be installed in the Women Polytechnic Rehan
10.	Sofa 3 Seater	Size-H-870 mm, L-1940 mm, D-840 mm. Structure made of treated agro wood, fitted with 50mm wide rubberized belts 50mm wide with high density PU foam as per design, Upholstered with premium quality PU cloth with help of stitching, where ever necessary. Tapestry- 06 Mtr.	Standard	Standard	Standard	 03 Years & to be installed in the Women Polytechnic Rehan
11.	Sofa 2 Seater	Size-H-870 mm, L-1450 mm, D-840 mm. Structure made of treated agro wood, fitted with 50mm wide rubberized belts 50mm wide with high density PU foam as per design, Upholstered with premium quality PU cloth with help of stitching, where ever necessary. Tapestry - 05 Mtr	Standard	Standard	Standard	 03 Years & to be installed in the Women Polytechnic Rehan
12.	Centre Table	Size: Length: 900mm, Width: 600mm, Height: 450mm. Under Structure made of MS cold rolled close annealed tube 1.2 mm thick, duly powder coated after anti corrosion treatment of surface. Top Made up from 18mm Pre- laminated Particle board	Standard	Standard	Standard	 03 Years & to be installed in the Women Polytechnic Rehan
13.	Side Table(Visitor Lounge)	: Size: Length: 600mm, Width: 600mm, Height: 450mm. Under Structure made of MS cold rolled close annealed tube 1.2 mm thick, duly powder coated after anti corrosion treatment of surface. Top Made up from 18mm Pre- laminated Particle board	Standard	Standard	Standard	 03 Years & to be installed in the Women Polytechnic Rehan
14.	Easy Chair	D- 61 cm W- 69 Cm , H- 114 cm material leatherette	Standard	Standard	Standard	 03 Years & to be installed in the Women Polytechnic

						Rehan
15.	Steel Rack	5 shelves rack cubby types 30.5 D X 88.9WX182.8H	Standard	Standard	Standard	 03 Years & to be installed in the Women Polytechnic Rehan
16.	Pin up Notice board	soft board core fame material durable aluminium board size- 24" X 36" shape rectangular	Standard	Standard	Standard	 03 Years & to be installed in the Women Polytechnic Rehan

4. Drawings

Not Applicable